

AUS920010258US1
M/S AF

Amendments to the Claims:

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method of developing a domain-specific analytic application having at least one predefined data mining model, the method comprising the steps of:

identifying a business problem to be solved;

selecting a data mining algorithm appropriate for solving the business problem;

defining data schema for use as inputs and outputs to and from the mining algorithm, the data schema including input data schema and output data schema;
and

defining a data mining model dependent upon the data schema, defining a data mining model resulting in the creation of a predefined data mining model;

whereby a domain-specific analytic application is developed, the analytic application having:

at least one predefined data mining model;

a capability of production training the predefined data mining model using the historical data in the input data schema, wherein use of the capability of production training the predefined data mining model results in creation of a production trained data mining model; and

AUS920010258US1
M/S AF

a capability of production scoring production data by use of the production trained data mining model.

2. (Canceled) ~~The method of claim 1 wherein the analytic application comprises the capabilities of:~~

~~production training the predefined data mining model using the historical data in the input data schema, wherein use of the capability of production training the predefined data mining model results in creation of a production trained data mining model; and~~

~~production scoring production data by use of the production trained data mining model.~~

3. (Currently Amended) The method of claim 2 1 wherein the capability of production training the predefined data mining model further comprises the capability of operating the predefined data mining model in training mode using end user historical data in the input data schema.

4. (Currently Amended) The method of claim 2 1 wherein the capability of production scoring production data by use of the production trained data mining model further comprises the capability of applying the production trained data mining model to historical data stored in input schema.

AUS920010258US1
M/S AF

5. (Currently Amended) The method of claim ~~2~~ 1 wherein the capability of production scoring production data by use of the production trained data mining model further comprises the capability of applying the production trained data mining model to production data stored read from an end user's production database.
6. (Original) The method of claim 1 wherein the analytic application further comprises the capability of populating the input data schema with historical data.
7. (Original) The method of claim 6 wherein the capability of populating the input data schema with historical data further comprises the capabilities of extracting from historical data values of prediction data fields and writing the values of the prediction data fields into the input data schema for the data mining model.
8. (Previously Presented) The method of claim 1 wherein identifying a business problem to be solved further comprises identifying a business problem capable of expression through the use of referents that are defined in a specific computational domain.
9. (Original) The method of claim 1 wherein selecting a mining algorithm appropriate for solving the business problem further comprises selecting a radial basis function algorithm for value prediction.
10. (Original) The method of claim 1 wherein selecting a mining algorithm appropriate for solving the business problem further comprises selecting a neural value prediction algorithm.

AUS920010258US1
M/S AF

11. (Original) The method of claim 1 wherein selecting a mining algorithm appropriate for solving the business problem further comprises selecting a demographic clustering algorithm.
12. (Original) The method of claim 1 wherein selecting a mining algorithm appropriate for solving the business problem further comprises selecting a neural clustering algorithm.
13. (Original) The method of claim 1 wherein selecting a mining algorithm appropriate for solving the business problem further comprises selecting a tree classification algorithm.
14. (Original) The method of claim 1 wherein selecting a mining algorithm appropriate for solving the business problem further comprises selecting a neural classification algorithm.
15. (Original) The method of claim 1 wherein selecting a mining algorithm appropriate for solving the business problem further comprises selecting an associations algorithm.
16. (Original) The method of claim 1 wherein defining data schema for the mining algorithm further comprises the steps of:

AUS920010258US1
M/S AF

selecting from historical data for inclusion in input data schema predictor fields capable of supporting the use of a data mining algorithm in predicting the value of a prediction field; and

selecting for inclusion in output data schema at least one prediction field.

17. (Original) The method of claim 1 wherein defining data schema for the mining algorithm further comprises selecting for inclusion in output schema sufficient key fields to comprise a unique key for identification in production data of storage locations for the output data from the data mining algorithm.
18. (Original) The method of claim 1 wherein defining a data mining model based on the data schema further comprises establishing in a data structure comprising the data mining model definition values for fields defining the model.
19. (Original) The method of claim 18 wherein fields defining the model comprise:
 - field representing the number of consecutive records to select from the input data schema to be used for training;
 - a field representing the number of consecutive records to select from the input data schema to be used for development scoring;
 - a field limiting the number of times the data mining model goes through its input data in training mode;
 - a field limiting the number of fitting centers created by the mining data mining algorithm at each pass through the input data;

AUS920010258US1

M/S AF

a field indicating the minimum number of records to be assigned to a region;

a field identifying at least one predictor field; and

a field identifying a prediction field.

20. (Original) The method of claim 1 wherein defining a data mining model based on the data schema further comprises the steps of:

establishing in a data structure comprising the data mining model definition values for fields defining the model; and

development scoring historical data wherein test output data is created; and

testing the test output data for accuracy wherein an accuracy valuation is created;

wherein the steps of establishing definition values, development scoring, and testing are repeated until the accuracy valuation meets a predetermined accuracy requirement.

21. (Currently Amended) A system for developing a domain-specific analytic application having at least one predefined data mining model, the system comprising:

means for identifying a business problem to be solved;

means for selecting a data mining algorithm appropriate for solving the business problem;

AUS920010258US1
M/S AF

means for defining data schema for use as inputs and outputs to and from the mining algorithm, the data schema including input data schema and output data schema; and

means for defining a data mining model dependent upon the data schema, wherein use of the means for defining a data mining model results in creation of a predefined data mining model;

wherein use of the said means for identifying a business problem, means for selecting a data mining algorithm, means for defining data schema, and means for defining a data mining model results in development of a domain-specific analytic application, the analytic application having:

at least one predefined data mining model;

a capability of production training the predefined data mining model using the historical data in the input data schema, wherein use of the capability of production training the predefined data mining model results in creation of a production trained data mining model; and

a capability of production scoring production data by use of the production trained data mining model.

22. (Canceled) ~~The system of claim 21 wherein the analytic application comprises the capabilities of:~~

~~production training the predefined data mining model using the historical data in the input data schema, wherein use of the capability of production training the predefined data mining model results in creation of a production trained data mining model; and~~

AUS920010258US1
M/S AF

~~production scoring production data by use of the production trained data mining model.~~

23. (Currently Amended) The system of claim ~~22~~ 21 wherein the capability of production training the data mining model further comprises the capability of operating the data mining model in training mode using end user historical data in the input data schema.

24. (Currently Amended) The system of claim ~~22~~ 21 wherein the capability of production scoring production data by use of the production trained data mining model further comprises the capability of applying the production trained data mining model to historical data stored in input schema.

25. (Currently Amended) The system of claim ~~22~~ 21 wherein the capability of production scoring production data by use of the production trained data mining model further comprises the capability of applying the production trained data mining model to production data stored read from an end user's production database.

26. (Original) The system of claim 21 wherein the analytic application further comprises the capability of populating the input data schema with historical data.

27. (Original) The system of claim 26 wherein the capability of populating the input data schema with historical data further comprises the capabilities of extracting from

AUS920010258US1
M/S AF

historical data values of prediction data fields and writing the values of the prediction data fields into the input data schema for the data mining model.

28. (Original) The system of claim 21 wherein means for identifying a business problem to be solved further comprises means for identifying a business problem capable of expression through the use of referents that are defined in a specific computational domain.
29. (Original) The system of claim 21 wherein means for selecting a mining algorithm appropriate for solving the business problem further comprises means for selecting a radial basis function algorithm for value prediction.
30. (Original) The system of claim 21 wherein means for selecting a mining algorithm appropriate for solving the business problem further comprises means for selecting a neural value prediction algorithm.
31. (Original) The system of claim 21 wherein means for selecting a mining algorithm appropriate for solving the business problem further comprises means for selecting a demographic clustering algorithm.
32. (Original) The system of claim 21 wherein means for selecting a mining algorithm appropriate for solving the business problem further comprises means for selecting a neural clustering algorithm.

AUS920010258US1

M/S AF

33. (Original) The system of claim 21 wherein means for selecting a mining algorithm appropriate for solving the business problem further comprises means for selecting a tree classification algorithm.
34. (Original) The system of claim 21 wherein means for selecting a mining algorithm appropriate for solving the business problem further comprises means for selecting a neural classification algorithm.
35. (Original) The system of claim 21 wherein means for selecting a mining algorithm appropriate for solving the business problem further comprises means for selecting an associations algorithm.
36. (Original) The system of claim 21 wherein means for defining data schema for the mining algorithm further comprises:
- means for selecting from historical data for inclusion in input data schema predictor fields capable of supporting the use of a data mining algorithm in predicting the value of a prediction field; and
- means for selecting for inclusion in output data schema at least one prediction field.
37. (Original) The system of claim 21 wherein means for defining data schema for the mining algorithm further comprises means for selecting for inclusion in output schema sufficient key fields to comprise a unique key for identification in production data of storage locations for the output data from the data mining algorithm.

AUS920010258US1

M/S AF

38. (Original) The system of claim 21 wherein means for defining a data mining model based on the data schema further comprises means for establishing in a data structure comprising the data mining model definition values for fields defining the model.

39. (Original) The system of claim 38 wherein fields defining the model comprise:

a field representing the number of consecutive records to select from the input data schema to be used for training;

a field representing the number of consecutive records to select from the input data schema to be used for development scoring;

a field limiting the number of times the data mining model goes through its input data in training mode;

a field limiting the number of fitting centers created by the mining data mining algorithm at each pass through the input data;

a field indicating the minimum number of records to be assigned to a region;

a field identifying at least one predictor field; and

a field identifying a prediction field.

40. (Original) The system of claim 21 wherein means for defining a data mining model based on the data schema further comprises:

AUS920010258US1
M/S AF

means for establishing in a data structure comprising the data mining model definition values for fields defining the model; and

means for development scoring historical data wherein test output data is created; and

means for testing the test output data for accuracy wherein an accuracy valuation is created;

wherein the means for establishing definition values, means for development scoring, and means for testing are capable of repeated use until the accuracy valuation meets a predetermined accuracy requirement.

41. (Currently Amended) A computer program product for developing a domain-specific analytic application having at least one predefined data mining model, the computer program product comprising:

a recording medium;

means, recorded on the recording medium, for identifying a business problem to be solved;

means, recorded on the recording medium, for selecting a data mining algorithm appropriate for solving the business problem;

means, recorded on the recording medium, for defining data schema for use as inputs and outputs to and from the mining algorithm, the data schema including input data schema and output data schema; and

AUS920010258US1
M/S AF

means, recorded on the recording medium, for defining a data mining model dependent upon the data schema, wherein use of the means for defining a data mining model results in creation of a predefined data mining model;

wherein use of the said means for identifying a business problem, means for selecting a data mining algorithm, means for defining data schema, and means for defining a data mining model results in development of a domain-specific analytic application, the analytic application having:

at least one predefined data mining model;

a capability of production training the predefined data mining model using the historical data in the input data schema, wherein use of the capability of production training the predefined data mining model results in creation of a production trained data mining model; and

a capability of production scoring production data by use of the production trained data mining model.

42. (Canceled) ~~The computer program product of claim 21 wherein the analytic application comprises the capabilities of:~~

~~production training the predefined data mining model using the historical data in the input data schema, wherein use of the capability of production training the predefined data mining model results in creation of a production trained data mining model; and~~

~~production scoring production data by use of the production trained data mining model.~~

AUS920010258US1
M/S AF

43. (Currently Amended) The computer program product of claim 22 41 wherein the capability of production training the data mining model further comprises the capability of operating the data mining model in training mode using end user historical data in the input data schema.
44. (Currently Amended) The computer program product of claim 22 41 wherein the capability of production scoring production data by use of the production trained data mining model further comprises the capability of applying the production trained data mining model to historical data stored in input schema.
45. (Currently Amended) The computer program product of claim 22 41 wherein the capability of production scoring production data by use of the production trained data mining model further comprises the capability of applying the production trained data mining model to production data stored read from an end user's production database.
46. (Currently Amended) The computer program product of claim 24 41 wherein the analytic application further comprises the capability of populating the input data schema with historical data.
47. (Currently Amended) The computer program product of claim 26 46 wherein the capability of populating the input data schema with historical data further comprises the capabilities of extracting from historical data values of prediction data fields and writing the values of the prediction data fields into the input data schema for the data mining model.

AUS920010258US1
M/S AF

48. (Currently Amended) The computer program product of claim ~~21~~ 41 wherein means for identifying a business problem to be solved further comprises means, recorded on the recording medium, for identifying a business problem capable of expression through the use of referents that are defined in a specific computational domain.
49. (Currently Amended) The computer program product of claim ~~21~~ 41 wherein means for selecting a mining algorithm appropriate for solving the business problem further comprises means, recorded on the recording medium, for selecting a radial basis function algorithm for value prediction.
50. (Currently Amended) The computer program product of claim ~~21~~ 41 wherein means for selecting a mining algorithm appropriate for solving the business problem further comprises means, recorded on the recording medium, for selecting a neural value prediction algorithm.
51. (Currently Amended) The computer program product of claim ~~21~~ 41 wherein means for selecting a mining algorithm appropriate for solving the business problem further comprises means, recorded on the recording medium, for selecting a demographic clustering algorithm.
52. (Currently Amended) The computer program product of claim ~~21~~ 41 wherein means for selecting a mining algorithm appropriate for solving the business problem further comprises means, recorded on the recording medium, for selecting a neural clustering algorithm.

AUS920010258US1

M/S AF

53. (Currently Amended) The computer program product of claim ~~24~~ 41 wherein means for selecting a mining algorithm appropriate for solving the business problem further comprises means, recorded on the recording medium, for selecting a tree classification algorithm.
54. (Currently Amended) The computer program product of claim ~~24~~ 41 wherein means for selecting a mining algorithm appropriate for solving the business problem further comprises means, recorded on the recording medium, for selecting a neural classification algorithm.
55. (Currently Amended) The computer program product of claim ~~24~~ 41 wherein means for selecting a mining algorithm appropriate for solving the business problem further comprises means, recorded on the recording medium, for selecting an associations algorithm.
56. (Currently Amended) The computer program product of claim ~~24~~ 41 wherein means for defining data schema for the mining algorithm further comprises:
- means, recorded on the recording medium, for selecting from historical data for inclusion in input data schema predictor fields capable of supporting the use of a data mining algorithm in predicting the value of a prediction field; and
- means, recorded on the recording medium, for selecting for inclusion in output data schema at least one prediction field.

AUS920010258US1

M/S AF

57. (Currently Amended) The computer program product of claim ~~21~~ 41 wherein means for defining data schema for the mining algorithm further comprises means, recorded on the recording medium, for selecting for inclusion in output schema sufficient key fields to comprise a unique key for identification in production data of storage locations for the output data from the data mining algorithm.

58. (Currently Amended) The computer program product of claim ~~21~~ 41 wherein means for defining a data mining model based on the data schema further comprises means, recorded on the recording medium, for establishing in a data structure comprising the data mining model definition values for fields defining the model.

59. (Currently Amended) The computer program product of claim ~~38~~ 58 wherein fields defining the model comprise:

a field representing the number of consecutive records to select from the input data schema to be used for training;

a field representing the number of consecutive records to select from the input data schema to be used for development scoring;

a field limiting the number of times the data mining model goes through its input data in training mode;

a field limiting the number of fitting centers created by the mining data mining algorithm at each pass through the input data;

a field indicating the minimum number of records to be assigned to a region;

AUS920010258US1

M/S AF

a field identifying at least one predictor field; and

a field identifying a prediction field.

60. (Currently Amended) The computer program product of claim ~~24~~ 41 wherein means for defining a data mining model based on the data schema further comprises:

means, recorded on the recording medium, for establishing in a data structure comprising the data mining model definition values for fields defining the model; and

means, recorded on the recording medium, for development scoring historical data wherein test output data is created; and

means, recorded on the recording medium, for testing the test output data for accuracy wherein an accuracy valuation is created;

wherein the means for establishing definition values, means for development scoring, and means for testing are capable of repeated use until the accuracy valuation meets a predetermined accuracy requirement.

REMARKS

Applicant submits this Supplemental Amendment After Final Office Action or Appeal, amending the claims pursuant to the agreement of May 20, 2004 with Examiner Pham. For the Examiner's convenience, Applicant also submits an Appendix of Claims listing the claims in final form including all amendments.